

HP Color LaserJet Enterprise M750 Series



Print colour documents up to SRA3 (12.6 x 17.72 inch) with paper capacity for high-volume jobs.

Print large-volumes of professional-quality colour documents on a wide range of paper sizes. Maintain productivity with intuitive, easy-to-use management tools. Conveniently print directly from laptop PCs, smartphones or tablets.¹



(HP Color LaserJet Enterprise M750n Printer)



(HP Color LaserJet Enterprise M750dn Printer)



(HP Color LaserJet Enterprise M750xh Printer)

Enable colour printing from postcards to posters

- Print on a wide variety of paper sizes—from 3 x 5-inch postcards to 12.6 x 17.72-inch SRA3 media.
- Produce high-volume print jobs without frequent paper changes, with a paper capacity up to 2,350 sheets.⁶
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- Increase efficiency and versatility with automatic two-sided printing.³

Get great colour prints plus uncompromised speed

- Print documents rapidly—up to 30 ppm letter/A4.⁷
- Get a first page out in as fast as 10 seconds with Instant-on Technology.
- Get consistent print quality automatically on text, images and graphics with HP EasyColor and HP ImageREt.
- Achieve sharp contrast and vivid colour with the high-gloss toner in Original HP LaserJet print cartridges.

Count on a printer that is easy to use and manage

- Enable easy printing from smartphones, tablets and laptops at work, home, or on-the-go.¹
- Easily integrate enterprise-ready gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control colour printing usage and costs.
- Quickly print using the easy access USB port. Safeguard data with the High-Performance Secure Hard Disk.⁵

Minimize your environmental impact

- Reduce packaging waste with pre-installed toner cartridges—no boxes, wrappers or manuals.
- Reduce environmental impact and use up to 50 percent less paper with two-sided printing.³
- Get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.²
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging.⁴

¹ Local printing requires mobile device and printer to be on the same network. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.

² Program availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit hp.com/recycle

³ Automatic two-sided printing is available on the dn and xh model only.

⁴ HP ClearView Packaging is available on the hx model only.

⁵ HP High-Performance Secure Hard Disk is available only for the xh model.

⁶ Optional 500-sheet paper tray and 3 x 500-sheet paper tray are available and sold separately for the n and dn models.

⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Product walkaround

HP Color LaserJet Enterprise M750n shown

1. 300-sheet output
2. Built-in auto duplex (M750dn/M750xh)
3. One door access to easy-to-replace print cartridges
4. 250-sheet input tray additional 500-sheet tray
5. 4 line, Colour Display
6. Easy access USB
7. 100-sheet MP Tray, with long paper extension
8. Built-in 10/100/Gigabit Networking - USB 2.0 Hi Speed Port
9. 1 GB Memory on Board



Front view

Series at a glance



Model	M750n ¹	M750dn	M750xh ²
Part number	D3L08A	D3L09A	D3L10A
100-sheet multipurpose tray	✓	✓	✓
250-sheet input tray 2	✓	✓	✓
500-sheet input tray 3	✓	✓	✓
Automatic two-sided printing	✓	✓	✓
300-sheet output bin	✓	✓	✓
500-sheet input tray (add up to 2)	Optional	Optional	✓
3 x 500-sheet paper feeder and stand	Optional	Optional	✓
HP High Performance Secure Hard Disk	NA	NA	✓
Walk-up USB port	✓	✓	✓
ENERGY STAR® qualified	✓	✓	✓

¹ HP Color LaserJet Enterprise M750n is not available in Japan, India and Taiwan.

² HP Color LaserJet Enterprise M750xh is not available in Japan.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Top Features

Capitalize on the printing potential of a high-capacity, compact workgroup workhorse. Produce large amounts of colour documents on a wide variety of paper sizes—from postcards to SRA3.

Use a powerful colour printer that compliments your professional image. Achieve outstanding quality printing without sacrificing speed. Advanced colour features and Original HP LaserJet print cartridges help ensure consistent colour.

Seamlessly integrate this versatile printer into a fleet. Robust management and security tools help ensure productivity and smooth, reliable performance. Mobile printing options enable convenient printing from smartphones, tablets and PCs.¹

Meet your environmental goals, while boosting your bottom line. HP technology helps you reduce your office's energy and paper usage. Plus, this printer is designed to use less space and create less packaging waste.

Toner cartridges²

CE270A	HP 650A Black LaserJet Toner Cartridge (~13,500 pages)
CE271A	HP 650A Cyan LaserJet Toner Cartridge (~15,000 pages)
CE272A	HP 650A Yellow LaserJet Toner Cartridge (~15,000 pages)
CE273A	HP 650A Magenta LaserJet Toner Cartridge (~15,000 pages)

Orderable supplies

CE977A	HP Color LaserJet 110-Volt Fuser Kit (~150,000 pages)
CE978A	HP Color LaserJet 220-Volt Fuser Kit (~150,000 pages)
CE516A	HP Color LaserJet Transfer Kit (~150,000 pages)
CE980A	HP Color LaserJet Toner Collection Unit

Accessories

CE860A	HP Color LaserJet 500-sheet Paper Tray
CE725A	HP Color LaserJet 3 x 500-sheet Paper Feeder and Stand
J8026A	HP Jetdirect 2700w USB Wireless Print Server
J3263G	HP Jetdirect 300x Print Server for Fast Ethernet

HP Care Packs

UX963E	HP 3-year Next business day + DMR Color LaserJet M750 Support
UX880E	HP 5-year Next business day + DMR Color LaserJet M750 Support
UX899E	HP 4-year Next business day + DMR Color LaserJet M750 Support
UV281E	HP 4-year 4h 9x5 Color LaserJet M750 Hardware Support
UV282E	HP 5-year 4h 9x5 Color LaserJet M750 Hardware Support
UX965E	HP 3-year 4h 9x5 Color LaserJet M750 Hardware Support

Paper

Contact HP via phone: Asia: 65 6253 8500

Software

Print drivers and installation software on CD: Windows print driver (HP PCL 6 discrete), SNP alerts, Mac print driver

Solutions

For more solutions information, please visit hp.com/go/gsc

¹ Local printing requires mobile device and printer to be on the same network. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.

² Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies.

HP Color LaserJet Enterprise M750 Series

Technical specifications	HP Color LaserJet Enterprise M750n Printer (D3L08A)	HP Color LaserJet Enterprise M750dn Printer (D3L09A)	HP Color LaserJet Enterprise M750xh Printer (D3L10A)
Functions	Print only		
Print			
Duplex print options	Manual (driver support provided)	Automatic (standard)	
Print speed ¹	Normal, A4: Up to 30 ppm black, Up to 30 ppm colour; Normal, letter: Up to 30 ppm black, Up to 30 ppm colour		
First page out	Black (ready): As fast as 10 sec; Colour (ready): As fast as 10 sec		
Print resolution	Black (best): Up to 600 x 600 dpi; Colour (best): Up to 600 x 600 dpi		
Print technology	Laser		
Print resolution technologies	HP ImageREt 3600		
Print cartridges number	4 (1 each black, cyan, magenta, yellow)		
Printer smart software features	HP ePrint, Open Extensibility Platform, FutureSmart Firmware, HP Easy Color, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs		
Mobile printing capability ²	HP ePrint, Apple AirPrint™, Mopria-certified		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™		
Printer management	HP Web Jetadmin; HP Utility (Mac)		
Connectivity			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host		
Network ready	Standard (built-in Gigabit Ethernet)		
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)		
Wireless capability	Optional, enabled with purchase of a HW accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A		
Memory	1 GB		
Processor speed	800 MHz		
Duty cycle (monthly)³	Up to 120,000 pages; Recommended monthly page volume: ⁴ 2,500 to 13,000 pages		
Paper handling			
Input	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3, automatic two-sided printing	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input trays 3, 4, 5, 6 automatic two-sided printing
Output	300-sheet output bin		
Media type	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies		
Media weight	Tray 1: 60 to 220 g/m ² ; Trays 2, 3: 60 to 120 g/m ² plain papers, up to 160 g/m ² coated papers; Optional tray 4, 5, 6: 60 to 120 g/m ² plain papers, up to 160 g/m ² coated papers		
Media sizes custom	Tray 1: 76 x 127 to 320 x 470 mm; Tray 2, 3: 148 x 211 to 297 x 432 mm; Optional tray 4, 5, 6: 148 x 211 to 297 x 432 mm		
Dimensions (W x D x H)	544 x 586 x 465 mm (21.4 x 23 x 18 in); Max: 840 x 975 x 465 mm (33 x 38.5 x 18 in)		745 x 688 x 885 mm (30 x 27 x 35 in); Max: 840 x 975 x 885 mm (33 x 38.5 x 35 in)
Weight	52.4 kg		83 kg
What's in the box	HP Color LaserJet Enterprise M750n printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); Power cord	HP Color LaserJet Enterprise M750dn printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); Power cord	HP Color LaserJet Enterprise M750xh printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; HP Color LaserJet 500-sheet feeder tray 4, 5, 6; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); Power cord
Warranty features	One-year, next-business day, onsite warranty		
Systems			
Compatible operating systems	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: AirPrint™ (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/udp); HP ePrint Software Driver (hp.com/go/eprintssoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/UNIX); UNIX JetDirect (hp.com/go/jetdirectunix_software)		
Minimum system requirements	PC: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008, Windows Server 2003 (SP1 or higher); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see microsoft.com ; Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts		
Control panel	5.2 cm (2.03"), 4-line Colour Graphic Display (CGD) & control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover		
Power	Power supply type: Built-in power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: ⁵ 677.41 watts (Printing B&W), 654.92 watts (Printing Colour), 59.46 watts (Ready), 9.09 watts (Sleep), 0.35 watts (Off)		
Software included	HP PCL 6 Discrete Printer Driver; Mac SW Link to Web (Mac Installer); Windows Installer		
Acoustic	Acoustic power emissions (ready): 6.7 B(A); Acoustic power emissions (ready): 5.0 B(A); Acoustic pressure emissions bystander (active, printing): 50 dB(A); Acoustic pressure emissions bystander (ready): 33 dB(A)		
Environmental ranges	Operating temperature range: 15 to 27° C (59 to 81° F); Recommended operating temperature: 17 to 25° C (63 to 77° F); Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 70% RH; Recommended operating humidity range: 30 to 70% RH		
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Safety approvals and requirements	IEC 60950-1:2005 +A1; EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/Led Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries		
Supported network protocols	IPv4/IPV6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDP5, ePrint		

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries.

³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups.

⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁶ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 30 ppm.

To learn more, visit hp.com

